



TIMMDEK® CLADDING

REFRESH THE OUTSIDE OF YOUR HOUSE WITH OUR EASY CLADDING SYSTEM TO GIVE YOUR HOME THAT CONTEMPORARY MAKEOVER

Exterior composite wall cladding has the potential to make your property look completely refreshed.

With *Timmdek*® cladding you can make your outbuildings blend into your garden or make any domestic or commercial property stand out with a contemporary makeover. Sometimes referred to as house cladding, wall cladding can instantly give a contemporary makeover to any type of building.

TIMMDEK® OFFERS TWO PROFILE CHOICES

STANDARD CLADDING



3D CLADDING



DIFFERENT APPLICATION STYLES


HORIZONTAL APPLICATION



Horizontal boards
Fastened at every intermediary support

Treated battens
38 x 25 or 50 x 25 screwed to studs at max 400 mm

VERTICAL APPLICATION



Vertical boards
Fastened at every intermediary support

Treated fixing battens
38 x 25 or 50 x 25 screwed to studs at max 400 mm

Treated battens
38 x 25 or 50 x 25 screwed to studs at max 400 mm



TIMMDEK® CLADDING

AFFORDABLE PERFORMANCE DECKING COLLABORATES WITH BEAUTY

With *Timmdek*® cladding you can make your outbuildings blend into your garden or make any domestic or commercial property stand out with a contemporary makeover. Sometimes referred to as house cladding, wall cladding can instantly give a contemporary makeover to any type of building.


CLADDING SPECIFICATIONS




DIMENSIONS	156 x 21 mm	m/m ²	7.52
MASS PER m ²	13.50 kg	PLANKS PER m ²	1.30
STD LENGTH	5 800 mm	PALLET MASS	1 599 kg
MASS PER PLANK	10.38 kg	QTY/PALLET	154
MAX JOIST SPACING ON CENTRES	400 mm	m ² /PALLET	118.00



FIXING METHODS AND SPECIFICATIONS



AVAILABLE COLOURS Note: Due to printing and/or screen variations colours in the brochure may differ slightly from the actual products.



ASPEN



WALNUT



TEAK



CEDAR

TIMMDEK® 3D CLADDING

AFFORDABLE PERFORMANCE DECKING COLLABORATES WITH BEAUTY

With *Timmdek*® cladding you can make your outbuildings blend into your garden or make any domestic or commercial property stand out with a contemporary makeover. Sometimes referred to as house cladding, wall cladding can instantly give a contemporary makeover to any type of building.


CLADDING SPECIFICATIONS



DIMENSIONS	219 x 26 mm	m/m ²	5.00
MASS PER m ²	12.25 kg	PLANKS PER m ²	0.86
STD LENGTH	5 800 mm	PALLET MASS	1 278 kg
MASS PER PLANK	14.21 kg	QTY/PALLET	90
MAX JOIST SPACING ON CENTRES	400 mm	m ² /PALLET	105.00



FIXING METHODS AND SPECIFICATIONS



AVAILABLE COLOURS Note: Due to printing and/or screen variations colours in the brochure may differ slightly from the actual products.

